

Drs. Roth, Rotter & Laster

637 Washington Street • Suite 202 • Brookline MA 02445

(617) 232-2811

Dosing for Tylenol (acetaminophen), Advil/Motrin (ibuprofen), Benadryl

Acetaminophen (Tylenol)

Dosing schedule every 4 hours

Weight	Acetaminophen infant/childrens 160mg/5ml	Acetaminophen chewables 80mg/tablet	Acetaminophen junior chewables 160mg/tablet	Acetaminophen adult tablets 325mg/tablet
6-11 lbs	1.25 ml	(tablets)	(tablets)	(tablets)
12-17 lbs	2.5 ml			
18-23 lbs	3.75 ml	1 1/2		
24-29 lbs	5 ml	2	1	
30-35 lbs	6.25 ml	2 1/2	1	
36-47 lbs	7.5 ml	3	1 1/2	
48-59 lbs	10 ml	4	2	
60-71 lbs	12.5 ml	5	2 1/2	1
72-95 lbs	15 ml	6	3	1

Ibuprofen (Advil, Motrin)

Dosing schedule every 6-8 hours

Weight	Ibuprofen infant drops 50mg/1.25ml	Ibuprofen Suspension 100mg/5ml	Ibuprofen Chewables 100mg/tablet	Ibuprofen Adult Tablets 200mg/tablet
		(teaspoons)	(tablets)	(tablets)
12-17 lbs	1.25 ml	1/2	1/2	
18-23 lbs	2.5 ml	1	1	
24-35 lbs	3.75 ml	1 1/2	1 1/2	
36-47 lbs	5 ml	2	2	
48-59 lbs	6.25 ml	2 1/2	2 1/2	1
60-71 lbs	7.5 ml	3	3	1
72-95 lbs	10 ml	4	4	2

Benadryl**Dosing schedule every 4-6 hours**

Weight	Liquid 12.5mg/5ml	Chewable tablets 12.5mg each	Tablets 25mg each
17-21 lbs	3/4 tsp (3.75ml)	Use liquid	Use liquid
22-32 lbs	1 tsp (5ml)	1 tablet	Use liquid or chews
33-42 lbs	1 1/2 tsp (7.5ml)	1 1/2 tablets	Use liquid or chews
45-53 lbs	2 tsp (10ml)	2 tablets	1 tablet
54-64 lbs	2 1/2 tsp (12.5ml)	2 1/2 tablets	
65-75 lbs	3 tsp (15ml)	3 tablets	1 1/2 tablets
76-86 lbs	3 1/2 tsp (17.5ml)	3 1/2 tablets	
>86 lbs	4 tsp (20ml)	4 tablets	2 tablets